

2009

Polymerization of Fluorene-Based Monomers Modified with

Thiavinylidene Structure at 9-Position and Their Optical Properties

Koji Takagi,* Shinri Sugimoto, Manabu Mitamura, Shin-ichi Matsuoka, and

Masato Suzuki

Synth. Met., 2009, 159(3-4), 228-233.

doi: 10.1016/j.synthmet.2008.09.009.

Tropolone-Terminated Oligomeric Fluorophores Having Responsive

Properties to External Environment

Koji Takagi,* Kazuhiro Saiki, Hirokazu Hayashi, Hiroyasu Ohsawa,

Shin-ichi Matsuoka, and Masato Suzuki

Bull. Chem. Soc. Jpn., 2009, 82(2), 236-241.

doi: 10.1246/bcsj.82.236.

Polymerization of Branched Thiophene Monomers and Optoelectronic

Properties of Materials

Koji Takagi,* Chikako Torii, and Yusuke Yamashita

J .Polym. Sci., Part A: Polym. Chem., 2009, 47(12), 3034–3044.

doi: 10.1002/pola.23399.

Synthesis of Imidazole–Containing Conjugated Polymers Bearing Phenol

Unit as Side Group and Excited State Intramolecular Proton

Transfer–Mediated Fluorescence

Koji Takagi,* Kenta Sugihara, and Takato Isomura

J .Polym. Sci., Part A: Polym. Chem., 2009, 47(18), 4822–4829.

doi: 10.1002/pola.23539.

Synthesis and Light–Emitting Behavior of Silicon–Bridged Fluorene

Copolymers Bearing Oligoarylenevinylene Chromophore

Koji Takagi,* Ai Tahara, and Hiroki Kakiuchi

Polym. J., 2009, 41(9), 733–738.

doi: 10.1295/polymj.PJ2009088.

チューブ状ポリマーの合成と機能

市岡賢二, 林千里, 鈴木将人

日本ゴム協会誌, 82 (6), 264–271 (2009).

Conference09.doc

2008

Conjugated Oligomers Containing Imidazole in Main Chain with
Intramolecular Hydrogen Bonding

Koji Takagi,* Kenta Sugihara, Junya Ohta, Yasuo Yuki, Shin-ichi Matsuoka,
and Masato Suzuki

Polym. J., 2008, 40(7), 614–621.

doi: 10.1295/polymj.PJ2008045.

Cationic Ring-opening Copolymerization of O-Permethylocyclodextrin with
Tetrahydrofuran

Masato Suzuki* and Tomofumi Shimazaki

Polym. J., 2008, 40(7), 640–644.

doi: 10.1295/polymj.PJ2008043.

Synthesis and Property of Conjugated Polymers Bearing Non-Benzenoid

Aromatic Unit

Koji Takagi

THE CHEMICAL TIMES, 2008(4), 2–8.

Synthesis of Carbazole-Based Light Emitting Polymers Incorporating

Oligo(phenylenevinylene) Fluorophores

Koji Takagi,* Tsuyoshi Nakagawa, and Hidenobu Takao

J. Polym. Sci., Part A: Polym. Chem., 2008, 46(24), 8141–8148.

doi: 10.1002/pola.23111.

Conference08.doc

2007

Thermal polycondensation of sugar fluoride to form highly branched

Polysaccharide

Atsushi Kanazawa, Shingo Namiki, Masato Suzuki*

J. Polym. Sci., Part A: Polym. Chem., 2007, 45(17), 3851–3860.

doi:

Synthesis and Optical Properties of Fluorene–Based Polymers

Incorporating Organosilicon Unit

Koji Takagi,* Hiroki Kakiuchi, Yasuo Yuki, and Masato Suzuki

J. Polym. Sci., Part A: Polym. Chem., 2007, 45 (21), 4786–4794.

doi: 10.1002/pola.22210.

Synthesis of Tropolone–Containing Conjugated Polymers and Their

Optical Properties

Koji Takagi,* Kazuhiro Saiki, Kousuke Mori, Yasuo Yuki, Shin–ichi

Matsuoka, and Masato Suzuki

Polym. J., 2007, 39 (8), 813–821.

doi: 10.1295/polymj.PJ2007003.

Polymeric Oligothiophene Fluorophores Spatially Isolated by
Spirobifluorene and Their Emission Properties

Koji Takagi,* Masaki Momiyama, Junya Ohta, Yasuo Yuki, Shin-ichi
Matsuoka, and Masato Suzuki

Macromolecules, 2007, 40(24), 8807–8811.

doi: 10.1021/ma071410b.

Conference07.doc

2006

Synthesis of Poly(triazinylstyrene) Containing Nitrogen-Based Ligand and
Function as Metal Ion Adsorbent and Oxidation Catalyst

Koji Takagi,* Satoshi Miwa, and Yasuo Yuki

React. Funct. Polym., 2006, 66 (12), 1718–1724.

doi: 10.1016/j.reactfunctpolym.2006.07.005.

Synthesis of Fluorene-Based Light-Emitting Polymers Bearing Silane Unit
and Their Optoelectronic Properties

Koji Takagi,* Hiroki Kakiuchi, and Masato Suzuki

Kobunshi Ronbunshu, 2006, 63 (10), 663–669.

Microscopy Study of Powder-to-Powder Polycondensation of
DL-1,3-Bis(hydroxyphenylmethyl)benzene

T. Sasaki, M. Suzuki*

J. Polym. Sci. Part A: Polym. Chem. 2006, 44, 4354–4359.

doi:

Solid-State Polycondensation of Natural Aldopentoses and
6-Deoxyaldohexoses. Facile Preparation of Highly Branched
Polysaccharide

A. Kanazawa and M. Suzuki*

Polymer 2006, 47, 176–183.

doi:

Oxidative Coupling Polymerization of 2,6-Dihydroxynaphthalene in Basic
Water

Y. Tsutsui, N. Numao, M. Suzuki*

Polym. J. 2006, 38, 234–239.

doi:

Conference06.doc

2005

IR Spectroscopic Study on Differences between Diastereoisomeric
Monomers

in Solvent-Free Polycondensation

M. Suzuki*, T. Sasaki, and G. Matsuura

Polym. Bull. 2005, 54, 243–249.

doi:

Powder-to-Powder Polycondensation of Natural Saccharides. Facile
Preparation of Highly Branched Polysaccharides

A. Kanazawa, S. Okumura, M. Suzuki*

Org. Biomol. Chem. 2005, 3, 1746–1750.

doi:

Synthesis of Triazine-Based Solid Polymer Electrolyte Bearing
Oligo(ethylene oxide) Chain

K. Takagi,* Masaki Muramatsu, Hideo Kunisada, and Yasuo Yuki

Kobunshi Ronbunshu 2005, 62(5), 208–213.

Synthesis and Photophysical Properties of Polyfluorenes Bearing
Silicon-Based Functional Groups

K. Takagi*, S. Kunii, and Y. Yuki

J. Polym. Sci. Part A: Polym. Chem. 2005, 43(10), 2119–2117.

doi: 10.1002/pola.20689.

Ligand Design for Conjugated Polymer–Metal Complex

K. Takagi

Annual Review of Research Group on Macromolecular Complex, 2005, 4.

Functionalization of Propagating End in Radical Polymerization Mediated
by Organoselenium Compounds

Koji Takagi and Yasuo Yuki

Kobunshi Kako, 2005, 54(6), 39–43.